



## Niagara

### Bakery Service Merchandiser | Cold

#### BCX-BAV-R



southerncasearts.com | 800.552.6283



## OVERVIEW



The **Niagara Bakery Service Merchandiser** from **Southern CaseArts** is an ideal service case for your store. Available in three length options. The reflective sliding service doors and adjustable glass shelves with LED lighting will draw customers to meat, deli items, cheese and bakery. The energy efficient **Niagara** will provide top performance for years to come.

## STANDARD FEATURES

- **Nominal Length:** 6.0', 8.0' & 12.0'
- **Interior Lighting:** 3500K LED lights
- **Shelving:** 3 adjustable glass shelves with LED lights
- Remote
- **Exterior:** Glass and black powder coat

## PRODUCT CATEGORIES



Meat



Deli



Cheese/  
Dairy



Bakery

### 06.0-BCX-BAV-R | Niagara Bakery Service Merchandiser

| QTY | DESCRIPTION                 | PART NUMBER | VOLTAGE | PHASE | AMPS | TOTAL AMPS |
|-----|-----------------------------|-------------|---------|-------|------|------------|
| 10  | 34" LED 3500K, FROSTED, 24V | LG-FX-XXX-X | 115V    | 1     | 0.07 | 0.70       |
| 3   | EVAPORATOR FAN              | RF-FA-XXXX  | 115V    | 1     | 0.17 | 0.51       |
| 2   | AIR SWEEP FAN               | AFXXX       | 115V    | 1     | 0.24 | 0.48       |

CIRCUIT#1 (LIGHTS)

TOTAL AMPS: 0.70

VOLTAGE: 115/1/60

CONNECTION: HARDWIRED

CIRCUIT#2 (FANS)

TOTAL AMPS: 0.99

VOLTAGE: 115/1/60

CONNECTION: HARDWIRED

CIRCUIT#3 (CONV. OUTLET)

TOTAL AMPS: 20.00

VOLTAGE: 115/1/60

CONNECTION: HARDWIRED

MODEL: BCX-BAV

APPLICATION: BAKERY/PASTRY

BTUH: 5700

EVAP TEMP: 24°F

DEFROST: TIME-OFF, 4/30MIN, 47° TEMP TERMINATION


SHIPPING DIMENSIONS: 86" X 56" X 62"

PACKOUT VOLUME: 26.23 CUBIC FT.


WEIGHT: 1217 LBS

INTERNAL VOLUME: 42.28 CUBIC FT.





Plan Mechanical View




Section View

### 08.0-BCX-BAV-R | Niagara Bakery Service Merchandiser


| QTY | DESCRIPTION                 | PART NUMBER | VOLTAGE | PHASE | AMPS | TOTAL AMPS |
|-----|-----------------------------|-------------|---------|-------|------|------------|
| 10  | 45" LED 3500K, FROSTED, 24V | LG-FX-XXX-X | 115V    | 1     | 0.09 | 0.90       |
| 4   | EVAPORATOR FAN              | RF-FA-XXXX  | 115V    | 1     | 0.17 | 0.68       |
| 4   | AIR SWEEP FAN               | AFXXX       | 115V    | 1     | 0.24 | 0.96       |

CIRCUIT#1 (LIGHTS) TOTAL AMPS: 0.90 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED  
 CIRCUIT#2 (FANS) TOTAL AMPS: 1.64 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED  
 CIRCUIT#3 (CONV. OUTLET) TOTAL AMPS: 20.00 VOLTAGE: 115/1/60 CONNECTION: HARDWIRED  
 MODEL: BCX-BAV APPLICATION: BAKERY/PASTRY BTUH: 7600 EVAP TEMP: 24°F  
 DEFROST: TIME-OFF, 4/30MIN, 47° TEMP TERMINATION  
 SHIPPING DIMENSIONS: 107" X 56" X 62"  
 WEIGHT: 1500 LBS  
 \* OPTIONAL COMPONENT LOAD INCLUDED

PACKOUT VOLUME: 34.98 CUBIC FT.  
 INTERNAL VOLUME: 56.37 CUBIC FT.



Plan Mechanical View




Section View




12.0-BCX-BAV-R | Niagara Bakery Service Merchandiser

| QTY | DESCRIPTION                 | PART NUMBER | VOLTAGE | PHASE | AMPS | TOTAL AMPS |
|-----|-----------------------------|-------------|---------|-------|------|------------|
| 15  | 45" LED 3500K, FROSTED, 24V | LG-FX-XXX-X | 115V    | 1     | 0.09 | 1.35       |
| 6   | EVAPORATOR FAN              | RF-FA-XXXX  | 115V    | 1     | 0.17 | 1.02       |
| 5   | AIR SWEEP FAN               | AFXXX       | 115V    | 1     | 0.24 | 1.20       |

CIRCUIT#1 (LIGHTS) **TOTAL AMPS: 1.35** **VOLTAGE: 115/1/60** **CONNECTION: HARDWIRED**  
CIRCUIT#2 (FANS) **TOTAL AMPS: 2.22** **VOLTAGE: 115/1/60** **CONNECTION: HARDWIRED**  
CIRCUIT#3 (CONV. OUTLET) **TOTAL AMPS: 20.00** **VOLTAGE: 115/1/60** **CONNECTION: HARDWIRED**  
**MODEL: BCX-BAV** **APPLICATION: BAKERY/PASTRY** **BTUH: 11400** **EVAP TEMP: 24°F**  
**DEFROST: TIME-OFF, 4/30MIN, 47° TEMP TERMINATION**  
**SHIPPING DIMENSIONS: 160" X 60" X 63"** **PACKOUT VOLUME: 52.46 CUBIC FT.**  
**WEIGHT: 2126 LBS** **INTERNAL VOLUME: 84.55 CUBIC FT.**  
\* OPTIONAL COMPONENT LOAD INCLUDED



Plan Mechanical View



Section View



CONFORMS TO UL STD 471.  
CONFORMS TO NSF STD 7.  
CERTIFIED TO CAN/CSA STD C22.2 NO. 120.

For more information on the Niagara Bakery Service Merchandiser, contact one of our **Southern CaseArts** representatives or check out our website to learn more about all of the products offered by **Southern CaseArts**.